



Liquid Miscellaneous Secondary Nutrients and
Micronutrients Fertilizer (Serial Number 4-42)
Fertilizer Registration Certificate Number:0727087

Go BEAUTY

果妍美 380

COLOR ENHANCEMENT

- Enhance the fruit skin coloration
- Enhance nutrient absorption
- Encourage anthocyanin and carotenoids synthesis
- Increase the rate of photosynthesis
- At expansion period prevent fruits cracking and drop

Active ingredients

| | | | |
|-------------------------------|-------------------------|-----------------------------|------------------------|
| Water-soluble cobalt | 0.040 % | Water-soluble calcium oxide | 1.5 % |
| Water-soluble magnesium oxide | 3.0 % | Water-soluble manganese | 3.00 % |
| Water-soluble Iron | 3.00 % | Water-soluble boron | 0.50 % |
| Water-soluble molybdenum | 0.090 % | Water-soluble molybdenum | 0.010 % |
| Total Copper | 0.700 % (7,000mg/kg) | Total Zinc | 0.70 % (7,000mg/kg) |

Method of Use

Any type of fruit trees or fruit-bearing flowering crops.
(Post Enlargement stage)

1. Post Enlargement stage: diluted 2000 times for spraying leaves; or 1000 times for root watering; use every 15~30 days until harvest. The used amount can be adjusted according to the weather, soil moisture, and plant growth status.
2. It can alternate use by spraying or watering of "Go Sweet 390", to enhance the sweetness and the flavor.

**Do not use this product in sunlight and high temperature environment; avoid transpiration effects to affect plant growth.

**When spraying the leaves, be sure to dilute the solution according to the specified dilution ratio to prevent fertilizer burns on leaves.

Cautions

*This product cannot be used in food.

*This product contains Boron (Br) and Molybdenum (Mo) and Copper (Cu) and Zinc (Zn), and excessive use may cause toxicity and soil pollution. Please dilute to a safe concentration according to the dilution instruction. Do not spray on edible parts one week before harvesting.

*Please apply fertilizer according to the recommended method and usage amount.

*Shake well before use.

*Keep in a cool and dry place away from direct sunlight.

*When this product is mixed with other materials, perform a small-scale test first.



Made in Taiwan

Manufacturer:

Anji Biotech Corp.

Distributor: KWAN STAR CO., LTD.

21F-1, No.268, SEC. 1, WEN HWA RD., BANCIAO DIST.,
NEW TAIPEI CITY, TAIWAN 22041

TEL:886-2-89690978

business@kwanstar.com



LINE
@kwanstar



FB



WEB



Shopee

CROP RECOMMENDATIONS FERTILIZER PROGRAM


DOSAGE, LITER/HECTARE
1LTR/1HA
(FOLIAR APPLICATION)

1. Diluted 2000 times for foliar application.
2. Diluted 1000 times for root watering.



FRUIT-BEARING FLOWERING CROPS (EGGPLANT, BELL PEPPER, CHILI PEPPER, TOMATO, WOLFERRY)

- Post enlargement stage, use on the 4 th week of each month.
(It can mix "Go Beauty 380" at a dilution ratio of 1:2000 with "Ca Strong 801" at a dilution ratio of 1:1000 and spray it on the leaves.)
Ex: Add 5mL of "Go Beauty 380" and 10mL of "Ca Strong 801" to 10 liters of water, and mix well)



DRAGON FRUIT

30 days before harvest, 1 time
(Spraying the leaves after sunset)



SOFT FRUITS (STRAWBERRY)

- Post enlargement stage, 1 time
(It can mix "Go Beauty 380" at a dilution ratio of 1:2000 with "Ca Strong 801" at a dilution ratio of 1:1000 and spray it on the leaves.)
Ex: Add 5mL of "Go Beauty 380" and 10mL of "Ca Strong 801" to 10 liters of water, and mix well)



VINEYARDS, PASSION FRUIT

- Post enlargement stage (before veraison), 1 time
(Alternately use with "Go Sweet 390" 7 days interval)
1st time (D1 "Go Beauty 380" at a dilution ratio of 1:2000 & D7 "Go Sweet 390" at a dilution ratio of 1:1000)



ORCHARDS

- Post enlargement stage (before veraison), 1 time
(Alternately use with "Go Sweet 390" 7 days interval)
1st time (D1 "Go Beauty 380" at a dilution ratio of 1:2000 & D7 "Go Sweet 390" at a dilution ratio of 1:1000)

Applying can be adjusted according to the size of the fruit trees