



Liquid Miscellaneous Secondary Nutrients and
Micronutrients Fertilizer (Serial Number 4-42)
Fertilizer Registration Certificate Number:0727100

Go Color

花妍美 601

FLOWER BLOOMING AND INCREASE COLOR

- Increase the numbers of flower buds
- Flowering is vigorous
- The petals are brightly colored
- Delay the pedicels aging
- Extend the flowering period and flowers are not ease to drop

Active ingredients

Total nitrogen	4.0%
Water-soluble phosphoric anhydride	3.0%
Water-soluble potassium oxide	2.0%
Water-soluble calcium oxide	4.0%
Water-soluble magnesium oxide	2.0%
Water-soluble manganese	2.00%
Water-soluble iron	1.25%
Water-soluble boron	0.50%
Water-soluble molybdenum	0.010%
Total copper	0.500 % (5,000mg/kg)
Total Zinc	0.50 % (5,000mg/kg)

Method of Use

Any type of flowers:

1. For epiphytic orchids, dilute 2000 times or more and spray on the aerial roots, and apply once every 15 to 20 days.
2. For non-orchid plants, after the new leaves have grown, diluted 2000 times for spraying leaves; or 1000 times for root watering; If the plant has already bloomed, please dilute 1000 times for root watering, and apply once every 15 to 20 days.
3. The used amount can be adjusted according to the weather, soil moisture, and plant growth status.

** Do not use this product in sunlight and high temperature environment; avoid transpiration effects to affect plant growth.

** When spraying the leaves, be sure to dilute the solution according to the specified dilution ratio to prevent fertilizer burns on leaves.

Cautions

*This product cannot be used in food.

*This product contains Boron (Br) and Molybdenum (Mo) and Copper (Cu) and Zinc (Zn), and excessive use may cause toxicity and soil pollution.

Please dilute to a safe concentration according to the dilution instruction. Do not spray on edible parts one week before harvesting.

*Please apply fertilizer according to the recommended method and usage amount.

*Shake well before use.

*Keep in a cool and dry place away from direct sunlight.

*When this product is mixed with other materials, perform a small-scale test first.



Made in Taiwan

Manufacturer:

Anji Biotech Corp.

Distributor: KWAN STAR CO., LTD.

21F-1, No.268, SEC. 1, WEN HWA RD., BANCIAO DIST.,
NEW TAIPEI CITY, TAIWAN 22041

TEL:886-2-89690978

business@kwanstar.com



LINE
@kwanstar



FB



WEB



Shopee

CROP RECOMMENDATIONS FERTILIZER PROGRAM

DOSAGE, LITER/HECTARE
(FOLIAR APPLICATION /
ROOT WATERING)

1. Diluted 1000 times for foliar application.
2. Diluted 500 times for root watering.



EPIPHYTIC ORCHIDS

1. Anytime (every 20 days)
(dilute 2000 times or more and spray on the aerial roots)
2. Post enlargement stage, 1 time

Applying can be adjusted according to the size of the plant growth status



NON-ORCHID PLANTS

1. After the new leaves have grown (every 15 days)
(Diluted 2000 times, FOLIAR APPLICATION)
2. Bloomed (every 15 days)
(Diluted 1000 times, ROOT WATERING)

Applying can be adjusted according to the size of the plant growth status

