

Liquid Miscellaneous Secondary Nutrients and Micronutrients Fertilizer (Serial Number 4-42) Fertilizer Registration Certificate Number: 0727086

Go Flower **黒** 前優 350

BLOOMING AND FRUIT SET

- Promote flower bud differentiation
- Increase the numbers of flower buds
- Vigorous flowering
- Young fruits are expansion rapidly
- Flower and fruit drop is less likely
- Enhance fruits quality

Active ingredients

Total nitrogen	4.0 %
(with ammonium nitrogen)	2.5 %
(with nitrate nitrogen)	1.5 %
Water-soluble phosphoric anhydride	15.0 %
Water-soluble potassium oxide	4.0 %
Water-soluble calcium oxide	4.0 %
Water-soluble magnesium oxide	3.0 %
Water-soluble manganese	0.50 %
Water-soluble boron	0.50 %
Water-soluble molybdenum	0.020 %
Total Zinc	0.30 %

Method of Use

Fruit trees (from the period of new leaf growth to young fruit stage), fruit-bearing flowering crops (throughout their growth stages)

- 1. Diluted 1000 times for spraying leaves; or 500 times for root watering. Use every 15 to 20 days, the used amount can be adjusted according to the weather, soil moisture, and plant growth status.
- **Do not use this product in sunlight and high temperature environment; avoid transpiration effects to affect plant growth.
- *When spraying the leaves, be sure to dilute the solution according to the specified dilution ratio to prevent fertilizer burns on leaves.

Cautions

- *This product contains Boron (Br) and Molybdenum (Mo) and Zinc (Zn), and excessive use may cause toxicity and soil pollution. Please dilute to a safe concentration according to the dilution instruction. Do not spray on edible parts one week before harvesting.
- *Please apply fertilizer according to the recommended method and usage amount.
- *Shake well before use.
- *Keep in a cool and dry place away from direct sunlight.
- *When this product is mixed with other materials, perform a small-scale test first.



21F-1, No.268, SEC. 1, WEN HWA RD., BANCIAO DIST.,

NEW TAIPEI CITY, TAIWAN 22041

TEL:886-2-89690978 business@kwanstar.com









Manufacturer: Anji Biotech Corp.

Made in Taiwan



CROP RECOMMENDATIONS FERTILIZER PROGRAM

DOSAGE, LITER/HECTARE 1LTR/1HA (FOLIAR APPLICATION)

- 1. Diluted 1000 times for foliar application.
- 2. Diluted 500 times for root watering.



FRUIT-BEARING FLOWERING CROPS (EGGPLANT, BELL PEPPER, CHILI PEPPER, TOMATO, WOLFBERRY)

Before flowering, 1 time



CUCURBITS, MELONS

Before flowering, 1 time



SOFT FRUITS (STRAWBERRY)

Before flowering, 1 time



VINEYARDS, **PASSION FRUIT**

Before flowering, 1 time



ORCHARDS

Leaves germination, 1 time (It can mix with "Root Forte 110" at a dilution ratio of 1:1000 and spray it on the leaves.)

Applying can be adjusted according to the size of the fruit